

कैलारी गाउँपालिका  
**गाउँ कार्यपालिकाको कार्यालय**

हसुलिया, कैलाली  
सुदूरपश्चिम प्रदेश, नेपाल


**क्याटलग सपिङ्ग विधिबाट एम्बुलेन्स खरिद सम्बन्धी सूचना**

(प्रथम पटक प्रकाशित मिति : २०७७।०६।१९)

कैलारी गाउँपालिकाको गाउँ सभाबाट आ.व.२०७७।०७८ को स्वीकृत बजेट, कार्यक्रम तथा निर्णय अनुसार एक थान एम्बुलेन्स सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा ८ बमोजिम उत्पादक वा विक्रेताद्वारा निर्धारित दरमा (क्याटलग सपिङ्ग) खरिद गर्ने विधि बाट खरिद गर्नुपर्ने भएकोले देहायका कागजातहरु संलग्न राखी कानूनी प्रक्रिया पूरा गरेका इच्छुक फर्म/कम्पनीहरुले यो सूचना प्रकाशित भएको मितिले १५ औं दिनको कार्यालय समय भित्र (सो दिन विदा परेमा सोको भोलिपल्ट) देहायका कागजात सहित सिलबन्दी निवेदन पेश गर्नहुन अनुरोध छ । म्याद नाघी दर्ता हुन आएको निवेदन उपर कुनै कारवाही नगरिने व्यहोरा जानकारीका लागि अनुरोध छ । साथै यस कार्यालयबाट तयार भएको प्राविधिक स्पेशिफिकेशन कार्यालयको खरिद एकाइमा सम्पर्क राखी लिन सकिने वा यस कार्यालयको वेबसाइट [www.kailarimun.gov.np](http://www.kailarimun.gov.np) मा हेर्न सकिने व्यहोरा समेत अनुरोध छ ।

**पेश गर्नुपर्ने कागजातको विवरण,**

- १) कम्पनी/फर्म दर्ता र नवीकरणको प्रमाणपत्रको प्रतिलिपि,
- २) मु.अ.कर दर्ताको प्रमाणपत्रको प्रतिलिपि,
- ३) कर चुक्ताको प्रमाणपत्रको प्रतिलिपि,
- ४) उत्पादक कम्पनीबाट तयार भएको आधिकारिक स्पेशिफिकेशन,
- ५) गुणस्तर, मूल्य र सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) ।

  
खगेन्द्र राज जोशी  
प्रमुख प्रशासकीय अधिकृत



## Technical Specification

**Owner:** Kailari Rural Municipality, Kailali

**Vehicle name:** High Roof 4WD Ambulance

**Quantity:** 1 Unit

S. N.	CRITERIA	OFFICE REQUIREMENT	OFFERED SPECIFICATION
1	General	<b>High Roof 4WD Ambulance</b> suitable for hilly rough road driving in Nepal. GVW of the Vehicle shall not be less than 2400kg, seating capacity at least 5 attendants including driver and having at least one patient's foldable Stretcher. <b>There should be isolated partition with transparent window between driver's cabin and patient compartment.</b>	Make: Model: Country of Origin: Year of Manufacture:
2	Engine	4-Stroke, Water cooled Diesel Engine, Displacement of the engine shall not be less than 2500 cc, developing <b>Maximum rated power output not less than 62 HP and Maximum torque should not be less than 195 N-m at governed RPM</b> , shall fully equipped with accessories for efficient full load operation of the Ambulance.	Make: Model: Power: Torque: Displacement:
3	Emission Standard	The Emission standard of the vehicle should be capable of meeting applicable <b>Nepal Vehicle Mass emission standard, 2069, which is to be certified by Department of Transport Management, Nepal</b>	
4	Gauges	To include speedometer, water temperature, fuel gauge, oil pressure, transmission gauge, signal for 4 WD etc. as necessary for efficient operation and maintenance.	
5	Clutch	Single Dry Plate	
6	Transmission	<b>Manual shift at least five forward and one reverse</b> , all forward synchromesh.	
7	Ground clearance	High ground clearance preferred, <b>minimum 180 mm.</b>	
8	Wheel base	Not less than 2500 mm	
9.	Fuel tank Capacity	Minimum 45 ltrs	
10	Suspension	Front:-Coil springs/torsion bar/ Shock absorber. Rear:-Leaf spring /Shock absorbers.	
11	Turning Radius	Not more than 6.5 m	
12	Tires	Standard size	
13	Steering	<b>Power Steering</b>	
14	Brakes	Front : Disc / Drum type, Rear: Disc / Drum type	
15	Cab	Three doors, having 180 degree rear door opening, all metallic cab with insulated roof, laminated/tinted glass windscreen, washers and wipers, glass windows on doors, comfortable and adjustable seats for driver and passenger, having foldable stretcher for patient, floor mats, two sun visors, rear view mirror, and two side view mirrors.	
16	Chassis and frame	Steel, heavy duty suitable for driving in rough road conditions with toe-hook	



17	Essential Accessories	1. Head light, tail and rear light, reversing light and turn signals. 2. Cabin lights 3. Speedometer / odometer. 4. Heavy duty bumper. 5. One Spare wheel with tyre and tube. 6. Suitable Jack & Handle 7. Seat belt for driver and co-driver. <b>8. Stretcher cum Bed</b> <b>9. Bench seats for paramedics</b> <b>10. I.V. bottle holding hooks</b> <b>11. First aid box</b> <b>12. Wide 180 deg. Opening rear door</b> 13. Anti-skid flooring <b>14. Overhead revolving beacon (As per Nepal standard)</b> <b>15. Siren</b> <b>16. Oxygen cylinder holder</b> <b>Equipped with all accessories offered in standard model but not limited to the above items.</b>	
18	Instructions	All signs and instructions in the vehicle shall be in English.	
19	Manuals	One copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle.	
20	Tools	A set of tools as required for general maintenance shall be supplied.	
21	Color	Standard color	
22	Proven performance	The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine	
23	Warranty	Manufacturer shall provide <b>a minimum of one-year warranty after acceptance.</b>	
24	Delivery	The high Roof Ambulance one unit shall be delivered to: <b>Kailari Rural Municipality, Kailali.</b>	

**Notes:**

1. The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness.
2. The bidder must fill up the required technical data for vehicle in the above offered specification column and should be verified by the corresponding catalogue, brochure or any relevant data sheet related to such ambulance.
3. The bidder have to submit the approved documents of the similar Ambulance already supplied in government or non-government organization in Nepal.


Bidder's Signature.....

Date.....

**Prepared By:**

Bijay Kumar Shah  
 Mechanical Engineer  
 Department of Roads,  
 Mechanical office, Budar, Doti  
 NEC No. : 340 Mechanical "A"

**Approved By:**

  
 Chief Administrative officer  
 Kailari Rural Municipality, kailali



मेकानिकल इन्जनीयर